

Safety data sheet

Page: 1/11

BASF Safety data sheet Date / Revised: 30.06.2017

Version: 3.0

Product: Goliath® Gel

(30363475/SDS_GEN_NZ/EN)

Date of print 03.05.2018

1. Substance/preparation and company identification

Goliath® Gel

Use: biocide, insecticide

Manufacturer/supplier:

BASF Agro B.V. Arnhem (NL) Freienbach Branch Huobstrasse 3 8808 Pfäffikon SZ SWITZERLAND Contact address: BASF New Zealand Limited

Level 4, 4 Leonard Isitt Drive, Auckland Airport, Auckland 2022 PO Box 407 Shortland Street, Auckland 1140

NEW ZEALAND

Telephone: +64 9 255-4300 Telefax number: +64 9 255-4307

Emergency information:

National Poisons Centre: 0800 764 766

BASF Emergency Advice Number: 0800 944 955 (24 hour advice in an emergency only) BASF Emergency Advice Number: +61 3 8855 6666 (If calling from outside New Zealand)

BASF Safety data sheet Date / Revised: 30.06.2017

Version: 3.0 Product: Goliath® Gel

(30363475/SDS_GEN_NZ/EN)

Date of print 03.05.2018

2. Hazard identification

Classification: Hazardous Substances (Minimum Degrees of Hazard) Regulations 2001

(New Zealand)

Subclasses: Subclass 6.1 Category E - Substance which are acutely toxic

Subclass 9.1 Category A - Substance that are ecotoxic to aquatic

environment

3. Composition/information on ingredients

Chemical nature

Biocidal product, insecticide, Bait

Hazardous ingredients

Fipronil

Content (W/W): 0.05 % CAS Number: 120068-37-3

The wording of the hazard symbols and R-phrases is specified in section 16 if dangerous ingredients are mentioned.

4. First-Aid Measures

General advice:

Remove contaminated clothing.

If inhaled:

Keep patient calm, remove to fresh air.

On skin contact:

Wash thoroughly with soap and water.

On contact with eyes:

Wash affected eyes for at least 15 minutes under running water with eyelids held open.

On ingestion:

Rinse mouth immediately and then drink plenty of water, induce vomiting, seek medical attention.

Note to physician:

Symptoms: The most important known symptoms and effects are described in the labelling (see section 2) and/or in section 11., Further important symptoms and effects are so far not known. Treatment: Symptomatic treatment (decontamination, vital functions).

BASF Safety data sheet
Date / Revised: 30.06.2017
Product: Goliath® Gel

(30363475/SDS GEN NZ/EN)

Date of print 03.05.2018

5. Fire-Fighting Measures

Suitable extinguishing media:

water spray, carbon dioxide, foam, dry powder

Specific hazards:

carbon monoxide, carbon dioxide, hydrogen chloride, hydrogen fluoride, nitrogen oxides, sulfur oxides, organochloric compounds

The substances/groups of substances mentioned can be released in case of fire.

Special protective equipment:

Wear self-contained breathing apparatus and chemical-protective clothing.

Further information:

In case of fire and/or explosion do not breathe fumes. Keep containers cool by spraying with water if exposed to fire. Collect contaminated extinguishing water separately, do not allow to reach sewage or effluent systems. Dispose of fire debris and contaminated extinguishing water in accordance with official regulations.

6. Accidental Release Measures

Personal precautions:

Use personal protective clothing. Avoid contact with the skin, eyes and clothing. Do not breathe vapour/spray.

Environmental precautions:

Do not discharge into the subsoil/soil. Do not discharge into drains/surface waters/groundwater.

Methods for cleaning up or taking up:

For small amounts: Pick up with suitable absorbent material (e.g. sand, sawdust, general-purpose binder, kieselguhr).

For large amounts: Dike spillage. Pump off product.

Dispose of absorbed material in accordance with regulations. Collect waste in suitable containers, which can be labeled and sealed. Clean contaminated floors and objects thoroughly with water and detergents, observing environmental regulations.

7. Handling and Storage

Handling

No special measures necessary if stored and handled correctly. Ensure thorough ventilation of stores and work areas. When using do not eat, drink or smoke. Hands and/or face should be washed before breaks and at the end of the shift.

Protection against fire and explosion:

No special precautions necessary. The substance/product is non-combustible. Product is not explosive.

BASF Safety data sheet
Date / Revised: 30.06.2017

Product: Goliath® Gel

(30363475/SDS GEN NZ/EN)

Date of print 03.05.2018

Storage

Segregate from foods and animal feeds.

Further information on storage conditions: Keep away from heat. Protect from direct sunlight.

Storage stability:

Storage duration: 36 Months

Protect from temperatures above: 35 °C

Changes in the properties of the product may occur if substance/product is stored above indicated temperature for extended periods of time.

8. Exposure controls and personal protection

Components with occupational exposure limits

no exposure standard allocated

Personal protective equipment

Respiratory protection:

Respiratory protection not required.

Hand protection:

Suitable chemical resistant safety gloves (EN 374) also with prolonged, direct contact (Recommended: Protective index 6, corresponding > 480 minutes of permeation time according to EN 374): E.g. nitrile rubber (0.4 mm), chloroprene rubber (0.5 mm), butyl rubber (0.7 mm) etc.

Eye protection:

Safety glasses with side-shields (frame goggles) (e.g. EN 166)

Body protection:

Body protection must be chosen depending on activity and possible exposure, e.g. apron, protecting boots, chemical-protection suit (according to EN 14605 in case of splashes or EN ISO 13982 in case of dust).

General safety and hygiene measures:

Handle in accordance with good industrial hygiene and safety practice. Wearing of closed work clothing is recommended. Store work clothing separately. Keep away from food, drink and animal feeding stuffs.

9. Physical and Chemical Properties

Form: gel
Colour: brown
Odour: odourless

pH value: approx. 5 - 7

(10 g/l, 21 °C)

BASF Safety data sheet
Date / Revised: 30.06.2017
Version: 3.0

Product: Goliath® Gel

(30363475/SDS GEN NZ/EN)

Date of print 03.05.2018

Melting point:

The product has not been tested.

Boiling point: > 100 °C (estimated)

Flash point:

Non-flammable.

Flammability: No dangerous quantities of

flammable gases will be produced by

contact with water.

Lower explosion limit:

As a result of our experience with this product and our knowledge of its composition we do not expect any hazard as long as the product is used appropriately and in accordance with

the intended use.

Upper explosion limit:

As a result of our experience with this product and our knowledge of its composition we do not expect any hazard as long as the product is used appropriately and in accordance with

the intended use.

Ignition temperature: 415 °C Explosion hazard: not exp Fire promoting properties: not

not explosive
not fire-propagating

(Directive 92/69/EEC, A.15) (Directive 92/69/EEC, A.14) (UN Test O.2 (oxidizing

(Directive 92/69/EEC, A.12)

liquids))

Vapour pressure: approx. 23 hPa

(20 °C)

Information applies to the solvent.

Density: approx. 1.27 g/cm3

(20 °C)

Relative vapour density (air):

not applicable

Solubility in water: dispersible

Partitioning coefficient n-octanol/water (log Pow):

not applicable

Viscosity, dynamic: 30,189 - 30,636 mPa.s

(21 °C)

Other Information:

If necessary, information on other physical and chemical parameters is indicated in this section.

10. Stability and Reactivity

Conditions to avoid:

See MSDS section 7 - Handling and storage.

Thermal decomposition: 120 °C, 210 kJ/kg (DSC (OECD 113))

BASF Safety data sheet Date / Revised: 30.06.2017

Product: Goliath® Gel

(30363475/SDS_GEN_NZ/EN)

Date of print 03.05.2018

(onset temperature) Not a substance liable to selfdecomposition according to UN transport regulations, class 4.1.

Substances to avoid:

strong bases, strong acids, strong oxidizing agents

Hazardous reactions:

No hazardous reactions if stored and handled as prescribed/indicated.

Hazardous decomposition products:

No hazardous decomposition products if stored and handled as prescribed/indicated.

11. Toxicological Information

Acute toxicity

Assessment of acute toxicity:

Of low toxicity after single ingestion. Virtually nontoxic after a single skin contact. Virtually nontoxic by inhalation.

LD50 rat (oral): 4,400 mg/kg (OECD Guideline 401)

LC50 (by inhalation):

The product has not been tested. The statement has been derived from the properties of the individual components.

LD50 rat (dermal): > 5,000 mg/kg (OECD Guideline 402)

Information on: Fipronil

LC50 rat (by inhalation): 0.36 mg/l 4 h (OECD Guideline 403)

Tested as dust aerosol.

Irritation

Assessment of irritating effects:

Not irritating to the eyes. Not irritating to the skin.

Primary skin irritation rabbit: non-irritant

Primary irritations of the mucous membrane rabbit: non-irritant

Assessment other acute effects

Assessment other acute effects:

Based on the available information there is no specific target organ toxicity to be expected after a single exposure.

Remarks: The product has not been tested. The statement has been derived from the properties of the individual components.

Sensitization

BASF Safety data sheet
Date / Revised: 30.06.2017

Product: Goliath® Gel

(30363475/SDS GEN NZ/EN)

Date of print 03.05.2018

Assessment of sensitization:

There is no evidence of a skin-sensitizing potential.

Guinea pig maximization test guinea pig: Skin sensitizing effects were not observed in animal studies.

Repeated dose toxicity

Assessment of repeated dose toxicity:

The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: Fipronil

Assessment of repeated dose toxicity:

Causes mortality and signs of neurotoxicity through prolonged or repeated exposure.

Genetic toxicity

Assessment of mutagenicity:

The product has not been tested. The statement has been derived from the properties of the individual components. Mutagenicity tests revealed no genotoxic potential.

Carcinogenicity

Assessment of carcinogenicity:

The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: Fipronil

Assessment of carcinogenicity:

In long-term studies in rats the substance induced thyroid tumors. The effect is caused by an animal specific mechanism that has no human counter part. In long-term studies in mice in which the substance was given by feed, a carcinogenic effect was not observed.

Reproductive toxicity

Assessment of reproduction toxicity:

The product has not been tested. The statement has been derived from the properties of the individual components. The results of animal studies gave no indication of a fertility impairing effect.

Developmental toxicity

Assessment of teratogenicity:

The product has not been tested. The statement has been derived from the properties of the individual components. Animal studies gave no indication of a developmental toxic effect at doses that were not toxic to the parental animals.

Other relevant toxicity information

Misuse can be harmful to health.

BASF Safety data sheet
Date / Revised: 30.06.2017

Product: Goliath® Gel

(30363475/SDS GEN NZ/EN)

Date of print 03.05.2018

12. Ecological Information

Ecotoxicity

Assessment of aquatic toxicity:

Very toxic to aquatic life with long lasting effects.

The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: Fipronil

Toxicity to fish:

LC50 (96 h) 0.0852 mg/l, Lepomis macrochirus

Information on: Fipronil Aquatic invertebrates:

EC50 (48 h) 0.19 mg/l, Daphnia magna

LC50 (48 h) 0.00017 mg/l, Mysidopsis bahia

Information on: Fipronil

Aquatic plants:

EC50 (72 h) 0.103 mg/l (growth rate), Scenedesmus subspicatus

No observed effect concentration (72 h) >= 0.14 mg/l, Pseudokirchneriella subcapitata

EC50 (14 d) > 0.16 mg/l (biomass), Lemna gibba

No observed effect concentration (14 d) > 0.16 mg/l (biomass), Lemna gibba

Information on: Fipronil Chronic toxicity to fish:

No observed effect concentration (35 d) 0.0029 mg/l, Cyprinodon variegatus

Information on: Fipronil

Chronic toxicity to aquatic invertebrates:

No observed effect concentration (28 d), 0.000008 mg/l, Mysidopsis bahia

Mobility

Assessment transport between environmental compartments:

The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: Fipronil

Assessment transport between environmental compartments:

Following exposure to soil, adsorption to solid soil particles is probable, therefore contamination of groundwater is not expected.

BASF Safety data sheet
Date / Revised: 30.06.2017
Version: 3.0

Product: Goliath® Gel

(30363475/SDS GEN NZ/EN)

Date of print 03.05.2018

Persistence and degradability

Assessment biodegradation and elimination (H2O):

The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: Fipronil

Assessment biodegradation and elimination (H2O): Not readily biodegradable (by OECD criteria).

Bioaccumulation potential

Assessment bioaccumulation potential:

The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: Fipronil Bioaccumulation potential:

Bioconcentration factor: 321, Lepomis macrochirus Accumulation in organisms is not to be expected.

Additional information

Other ecotoxicological advice:

Do not discharge product into the environment without control.

13. Disposal Considerations

Must be disposed of or incinerated in accordance with local regulations.

Contaminated packaging:

Contaminated packaging should be emptied as far as possible and disposed of in the same manner as the substance/product.

14. Transport Information

Domestic transport:

Hazard class: 9
Packing group: III

ID number: UN 3082 Hazard label: 9, EHSM

Proper shipping name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S. (contains FIPRONIL)

Further information

Hazchem Code:3Z IERG Number:47 BASF Safety data sheet
Date / Revised: 30.06.2017
Version: 3.0

Product: Goliath® Gel

(30363475/SDS_GEN_NZ/EN)

Date of print 03.05.2018

Sea transport

IMDG

Hazard class: 9 Packing group: III

ID number: UN 3082 Hazard label: 9, EHSM Marine pollutant: YES

Proper shipping name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S. (contains FIPRONIL)

Air transport

IATA/ICAO

Hazard class: 9 Packing group: III

ID number: UN 3082 Hazard label: 9, EHSM

Proper shipping name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S. (contains FIPRONIL)

15. Regulatory Information

Classification: Hazardous Substances (Minimum Degrees of Hazard) Regulations 2001

(New Zealand)

Subclasses: Subclass 6.1 Category E - Substance which are acutely toxic

Subclass 9.1 Category A - Substance that are ecotoxic to aquatic

environment

Other regulations

If other regulatory information applies that is not already provided elsewhere in this safety data sheet, then it is described in this subsection.

HSNO Approval Code HSR000821

Registration status:

NZIOC, NZ released / listed

16. Other Information

BASF Safety data sheet Date / Revised: 30.06.2017 Product: **Goliath® Gel**

Version: 3.0

(30363475/SDS_GEN_NZ/EN)

Date of print 03.05.2018

Full text of hazard symbols and R-phrases if mentioned as hazardous components in section 3:

Vertical lines in the left hand margin indicate an amendment from the previous version.

The data contained in this safety data sheet are based on our current knowledge and experience and describe the product only with regard to safety requirements. This safety data sheet is neither a Certificate of Analysis (CoA) nor technical data sheet and shall not be mistaken for a specification agreement. Identified uses in this safety data sheet do neither represent an agreement on the corresponding contractual quality of the substance/mixture nor a contractually designated use. It is the responsibility of the recipient of the product to ensure any proprietary rights and existing laws and legislation are observed.